

Applicants

```
<php> $ad=2; $loc=8; $time=20;
```

```
echo "AD = $ad \n Location = $loc \n Time = $time \n\n<br><br>"; if ($ad == 1)
```

```
{
    $cost = 1.5 * $time;
    if ($time == 30)
        {
            $ads = 2;
        }
    $ads = 1;
}
```

```
if ($ad == 2)
```

```
{
    $cost = 5 * $time;
    if ($time == 10)
        {
            $ads = 2;
        }
    $ads = 3;
}
```

```
if ($ad == 4)
```

```
{
    $cost = 25 * $time;
    $ads = $ad + ($time/10-1);
}
```

```
$d6 = rand (1,6); $apps = $d6 * $ads * $loc; echo "<b>Number of Applicants ($apps)</b> =  
Recruiting score for Advertising ($ads) x Location Score ($loc) x 1d6 ($d6)."; echo "<br>\n
```

```
Recruitment cost $cost credits<br>";
```

```
echo "<h2>Applicant Details</h2> \n
```

```
\n
<table width = 85% cellpadding = 1>\n
<tr> \n
    <td>App \n
    <td>Firstname \n
    <td>Surname \n
    <td>Gender \n
    <td>Genetics \n
    <td>References \n
```

```

    <td>CR Check \n
    <td>Experience \n
    <td>Interview? \n
    <td>Hire? \n
</tr>";

```

```
$appl=1; do
```

```

{
  $CrimCheck=rand(0,9);
  $Experience=rand(0,9);
  $RefCheck=rand(0,9);
  $Gender=rand(0,9);
  $BirthGender=$Gender;
  $GenderChanged="No";
  if($Gender==0)
  {
    $GenderChanged="Yes";
    $BirthGender=rand(1,8);
    $Gender=rand(1,8);
  }
  if($Gender==9)
  {
    $BirthGender=rand(1,8);
  }
  if($Gender<5)
  { $sex="M"; }
  elseif($Gender<9)
  { $sex="F"; }
  elseif($BirthGender<5)
  { $sex="M"; }
  else
  { $sex="F"; }
  $Genetics="Natural";
  $gen=rand(1,6);
  if($Experience>8)
  { $Genetics="Perfect"; }
  elseif($gen>4)
  { $Genetics="Perfect"; }

```

connect to MySQL server and select the IFU database include ("*/var/www/html/IFU/sqlconnect.php*"); include ("*/var/www/html/IFU/sqlconnect2.php*"); *\$db = mysql_select_db('full-moon_info_-_IFU',\$connection)*; randomly select a group of names from the database *\$sql = 'SELECT * FROM `Names` ORDER BY Rand() LIMIT 10'*; *\$names = mysql_query(\$sql)*;

step through the selected list of names to get a surname and forename from separate rows while (*\$row=mysql_fetch_array(\$names,MYSQL_ASSOC)*) { *extract(\$row)*; *\$LastName = \$Surname*; *next(\$row)*; then randomly take a firstname of the correct gender from the same list

```

if ($Gender==$sex)
{

```

```
$Forename = $FirstName;
next($row);
extract($row);
end($row);
}
}
```

echo "

```
<tr> \n
  <td>$appl \n
  <td>$seed2 $FirstName \n
  <td>$seed1 $Surname \n
  <td>$sex \n
  <td>$Genetics \n
  <td>$RefCheck \n
  <td>$CrimCheck \n
  <td>$Experience \n
  <td>Interview? \n
  <td>Hire? \n
</tr>";
```

```
$appl++; } while ($appl<=$apps); echo "</table>"; </php>
```

From:

<http://www.full-moon.info/> - **Full Moon Games**

Permanent link:

<http://www.full-moon.info/doku.php/universe/ifu/applicants.php>

Last update: **4 Jan 2015 12:47**

